

DSS

Toll Free: 1.888.467.8812

Fax: 1.609.431.0932
sales@dss-cctv.com
www.dssdepot.com

2025 Summer




INNOVATIVE SOLUTIONS - PRESTIGIOUS SUPPORT

717 B Fellowship Road
Mt Laurel, NJ 08054

CALL TODAY! 1.888.467.8812

Tariffs Up? Not Our Prices
BEAT ANY PROMOTIONAL PRICING



IPC-WBFR8MPWL-AI(II)-M
True WDR Two Way Audio Bullet



4G Solar Battery Camera
Coming Soon



IPC-WDFR8MPWLD-AI(II)-M
True WDR Two Way Audio Dome



4G IP Camera
Coming Soon

NEW WIFI DOOR BELL



IPC-CB2MP-DB-W



Features

- Wireless WIFI 2.4/5G
- SD Card Up to 512GB
- 2 Way Talk, AI Detection
- Cloud Ready, Wireless Chime
- ONVIF, AI & Motion with DVR & NVR
- PoE, 3 Year Warranty
- DC 12V, 2A

NEW WEBSITE

NEW Resources · NEW Look · SAME Products You Love

WWW.DSSDEPOT.COM



New Release Products

AVAILABLE RIGHT NOW!

HD 12MP PERFORMANCE AI+ AUDIO IPC Features

- 1/2.3 Progressive CMOS 3.6MM Lens
- 12MP (4096x3072)
- Metal, Weather Proof, IP66
- 100 Ft. Night Vision
- DWDR, 3D DNR, BLC, ICR 3 Axis
- Supports Onvif, PSIA, CGI
- PoE, 3 Year Warranty
- DC 12V, 500mA

12MP
MEGAPIXEL



NEW AI POE SWITCH POE PORT AUTO RECOVERY AI POWER PREVENT IPC BURNOUT AUTO EPOE 800 FT



DSS-POE-101-AI(60W)
30/60 Dual Watt
GB POE Injector



DSS-POE-104-AI-GB
4 Ch AI GB PoE Switch
1 Priority Port Up to 60W



DSS-POE-108-AI
8 Ch AI PoE Switch
2 Priority Ports Up to 60W




DSS-POE-116-AI
16 Ch AI PoE Switch
2 Priority Ports Up to 60W



DSS-POE-124-AI
24 Ch AI PoE Switch
2 Priority Ports Up to 60W

POE Powered POE Splitter Run 1 Wire Support 2/4 Cameras



POE-112-AI
1 to 2 POE Powered POE Switch

POE-112-AI-SET
1 to 2 POE Powered POE Switch
With Outdoor Box



POE-114-AI
1 to 4 POE Powered POE Switch



POE-114-AI-SET
1 to 4 POE Powered POE Switch
With Outdoor Box

Ethernet & PoE Receiver over Single-Pair Wires

DSS-POE-2W



Loud Speaker & Mic POE Work With -C IPC

MIC-LNET



Cable Tester, Cable Tracer, UTP Coax Cable, PING Test, Cable Quality Test.

Cable-Tester



IPC-HDMI-4K
4K IPC with HDMI Output

IPC-IDSCAN-HDMI

ID Scanner with HDMI output
Onvif, POE 2MP
Bar, Night Club, Government



HDD-04-ESATA

ESATA Enclosure, Support up to 4HDD
Record, Backup, Playback
Support NVR 92xx, 90xx Series






BLUE JAY NVR



CLOUD SERVICE

Remote Management
Anytime, Anywhere.



NEW CLOUD APP CYBVU

Cloud Portal -C NVR
www.CYBVUPRO.com

Blue Jay ECO Line 4K Blue Jay ECO NVR



HDIP



ECO 8 CH NVR
Model: NVR6108-NP

ECO 16CH NVR
Model: NVR6216-NP

H.265, H.264 Video Compression Format

Up to 8MP Resolution Recording, Max 112 Mbps Bandwidth

HDMI up to 4K, VGA up to 1080P

Motion Detection, 24/7 Continuous, Manual Schedule Recording

P2P Connection, 2ch Cloud Back Up, Mobile App: RXCAMVIEW

Alarm in and out, Two Way Audio, RS485, E-SATA

1 USB 3.0 for Backup, 1 USB 2.0 for Mouse Control

Supports Onvif, PSIA, CGI

8CH 1 SATA, Up to 10TB MAX, 16CH 2 SATA, Up to 16TB MAX 3 Year Warranty

AI+ Includes Facial Detection, Human & Vehicle Detection, Intrusion Detection, Line Crossing Detection, Stationary Object Detection, Pedestrian Detection, Crossing Head Count

Blue Jay ECO Line 4K Blue Jay ECO POE NVR



HDIP



ECO 4CH PoE NVR
Model: NVR6104P4-C

ECO 8 CH PoE NVR
Model: NVR6108P8-C

ECO 16CH PoE NVR
Model: NVR6116P16-C

H.265, H.264 Video Compression Format

Up to 8MP Resolution Recording

Up to 8MP Resolution Recording

Max 50 Mbps Bandwidth

Max 128 Mbps Bandwidth

Max 112 Mbps Bandwidth

HDMI Output up to 4K VGA Output up to 1080P

HDMI Output up to 4K VGA Output up to 1080P

Motion Detection, 24/7 Continuous, Manual Schedule Recording

P2P Connection, 2ch Cloud Back Up, Mobile App: RXCAMVIEW

2 USB 2.0, 1 Mouse Control/1 Backup

1 USB 3.0, 2 USB 2.0

Supports Onvif, PSIA, CGI

1 SATA, Up to 10TB MAX, 3 Year Warranty

AI+ Includes Facial Detection, Human & Vehicle Detection, Intrusion Detection, Line Crossing Detection, Stationary Object Detection, Pedestrian Detection, Crossing Head Count

BLUE JAY AI+ PERFORMANCE NVR



Blue Jay AI+ PERFORMANCE Line 12MP Blue Jay AI+ POE NVR

AI+ 8CH PoE NVR Model: NVR9208P8-C	AI+ 16CH PoE NVR Model: NVR9216P16-C	AI+ 32CH PoE NVR Model: NVR9432P16-C
---------------------------------------	---	---

AI+ Includes Facial Detection, Human & Vehicle Detection, Intrusion Detection, Line Crossing Detection, Stationary Object Detection, Pedestrian Detection, Crossing Head Count		
H.265, H.264 Video Compression Format		
Up to 12MP Resolution Recording		
Max 640 Mbps Bandwidth		
8 PoE Port	16 PoE Port	16 PoE Port
HDMI up to 4K, VGA up to 1080P		
AI+ Includes Facial Detection, Human & Vehicle Detection, Intrusion Detection, Line Crossing Detection, Stationary Object Detection, Pedestrian Detection, Crossing Head Count		
Motion Detection, 24/7 Continuous, Smart Recording		
P2P Connection, Cloud Back Up, Mobile App: RXCAMVIEW		
Alarm in and out, Two Way Audio, RS485, E-SATA		
Rack Mountable (Rack Ear Sold Sep)		
1 USB 3.0 for Backup, 2 USB 2.0 for Mouse Control		
2 SATA, Up to 18TB Per, 36TB Max		4 SATA, 72TB Max
Supports Onvif, PSIA, CGI		
DC 48V 96W	AC 110-240V 280W	AC 110-240V 280W



64CH AI+ PERFORMANCE 4K NVR Features

- H.265, H.264 Video Compression Format
- Up to 12MP Resolution Recording
- Max 640 Mbps Bandwidth
- 4 HDMI up to 4K, HDMI 1 8K HDMI 3&4 1080P Only
- Motion Detection, 24/7 Continuous, Manual Recording
- P2P Connection, 2ch Cloud Back Up
- Alarm in and out, Two Way Audio, RS485, E-SATA
- 1 USB 3.0 for Backup, 2 USB 2.0 for Mouse Control
- 8 SATA, Up to 144TB MAX, 3 Year Warranty, RAID
- Supports Onvif, PSIA, CGI
- Dual AC 110-240V 250W 2U Case Rack Mountable

AI+ Includes Facial Detection, Human & Vehicle Detection, Intrusion Detection, Line Crossing Detection, Stationary Object Detection, Pedestrian Detection, Crossing Head Count

64Ch NVR
Model: NVR-9008-64-C



256CH AI+ PERFORMANCE 4K NVR Features

- H.265, H.264 Video Compression Format
- Up to 12MP Resolution Recording
- Max 800 Mbps Bandwidth
- 4 HDMI up to 4K, HDMI 1 8K HDMI 3&4 1080P Only
- Motion Detection, 24/7 Continuous, Manual Recording
- P2P Connection, 2ch Cloud Back Up
- Alarm in and out, Two Way Audio, RS485, E-SATA
- 1 USB 3.0 for Backup, 2 USB 2.0 for Mouse Control
- 16 SATA, Up to 288TB MAX, 3 Year Warranty
- Supports Onvif, PSIA, CGI
- Dual AC 110-240V 250W 3U Case Rack Mountable

256Ch NVR
Model: NVR-9016-256






BLUE JAY AI+ SPECIALITY IPC

5-50 Motorized Lens LPR

Features

1/2.7" Progressive CMOS
5MP 2592(H)×1944(V)
Metal, IP67 Weather Proof
AI License Plate Detection, SD Slot
True WDR, 3D DNR, BLC, ICR
Supports Onvif, PSIA, CGI
PoE, 3 Year Warranty
DC 12V, 1A



IPC-LBVL5MPZ-AI(II)-C
5-50mm License Plate Capture

8MP 180 Panoramic View Two Way Audio Deterrence With Light

Features

8MP 3840(H)×2160(V)
Supports H.265, H.264
Metal Weather Proof IP67 Two Way Audio
90 Ft. Night Vision, Full Color
True WDR, 3D DNR, BLC, ICR, SD Card
2mm Angle of view: H 180, V 90
Onvif, PSIA, and Compliant
Supports Onvif, PSIA, CGI
PoE, 3 Year Warranty



IPC-QBFR8MP-AI(II)-M-180
8MP 180 Panoramic Bullet



IPC-QDFR8MP-AI(II)-M-180
8MP 180 Panoramic Dome

8MP 180 Dual Lens Panoramic View Two Way Audio Deterrence With Light

Features

8MP 5120(H)×1440(V)
Supports H.265, H.264
Metal Weather Proof IP67 Two Way Audio
100 Ft. Night Vision
DWDR, 3D DNR, BLC, ICR, SD Card Slot
Dual 2.8mm Angle of view: H 180, V 90
Onvif, PSIA, and Compliant
Supports Onvif, PSIA, CGI
PoE, 3 Year Warranty



IPC-QDFR8MP-AI(II)-M-DL
8MP Dual Lens 180 Panoramic



32MP Multi-Sensor Multi-View Full Color Warm Light

Features

8MP 3840(H)×2160(V) 32MP Total
Supports H.265, H.264
Metal Weather Proof IP67 Audio Cable
100 Ft. Night Vision
True WDR, 3D DNR, BLC, ICR, SD Card
Motorized Lens 2.8-12mm
Onvif, PSIA, and Compliant
Supports Onvif, PSIA, CGI
PoE, 3 Year Warranty



Simplify with All-In-One: Single IP, Multi-Channel, Infinite Possibilities



IPC-QDVR32MP-AI(II)-M-4
32MP Multi-Sensor Full Color

BLUE JAY ALL DAY COLOR IPC

Colorful Series Full Color Camera

- ① **Full Color Mode** presents brilliant colorful images at 24/7 (default mode)
- ② **Day/Night Mode** provides pure black & white images
- ③ **Schedule Mode** allows to program your specific needs



5MP Blue Jay AI FULL Color IPC



Features

5MP 2880(H)×1620(V)
 Supports H.265, H.264
 Metal Weather Proof, IP 66, Built-in Mic
 Full Color at Night, AI Smart
 WDR, 3D DNR, BLC, ICR, SD Card
 1/2.7" Progressive Scan CMOS
 Onvif, PSIA, and Compliant
 PoE, 3 Year Warranty
 DC 12V, 500mA



IPC-EBFR5MP-AI-S-WL

Wide Angle 2.8MM, Built-in Mic
 Warm Light Full Color
 80 Ft. Color Vision



IPC-EDFR5MP-AI-S-WL

Wide Angle 2.8MM, Built-in Mic
 Warm Light Full Color
 90 Ft. Color Vision

8MP Blue Jay AI FULL Color IPC



Features

8MP 3840(H)×2160(V)
 Supports H.265, H.264
 Metal Weather Proof, IP 66, Built-in Mic
 100 Ft. Night Vision
 DWDR, 3D DNR, BLC, ICR, SD Card
 1/2.7" Progressive Scan CMOS
 Onvif, PSIA, and Compliant
 PoE, 3 Year Warranty
 DC 12V, 500mA Fixed, 1A Vari-Focal



IPC-EBFR8MP-AI-S-WL

Wide Angle 2.8MM, Built-in Mic
 Warm Light Full Color
 80 Ft. Color Vision



IPC-EDFR8MP-AI-S-WL

Wide Angle 2.8MM, Built-in Mic
 Warm Light Full Color
 90 Ft. Color Vision



IPC-EDVR8MPZ-WL-AI(II)-C

Vari-Focal 2.8-12MM, Audio Cable
 Warm Light Full Color
 120 Ft. Color Vision



IPC-EBVR8MPZ-WL-AI(II)-C

Vari-Focal 2.8-12MM, Audio Cable
 Warm Light Full Color
 120 Ft. Color Vision



BLUE JAY IPC

2MP Blue Jay ECO IP Camera

Features

2MP, 1920x1080
 Supports H.265, H.264
 Metal Weather Proof, IP 66
 True Day/Night
 DWDR, 3D DNR, BLC, ICR
 1/3" Progressive Scan CMOS
 Onvif, PSIA, and Compliant
 PoE, 3 Year Warranty
 DC 12V, 500mA Fixed, 1A Vari-Focal



IPC-EBFR2MP-S

Wide Angle 2.8MM
 Smart IR, Built-In MIC
 100 Ft. Night Vision



IPC-EDFR2MP-S

Wide Angle 2.8MM
 Smart IR, Built-In MIC
 100 Ft. Night Vision



IPC-EDVR2MPZ-C

Motorized 2.8-12MM
 Smart IR, Audio Cable
 120 Ft. Night Vision

5MP Blue Jay ECO IP Camera

Features

5MP 2592(H)×1944(V)
 Supports H.265, H.264
 Metal Weather Proof, IP 66
 True Day/Night
 DWDR, 3D DNR, BLC, ICR
 1/2.7" Progressive CMOS
 Onvif, PSIA, and Compliant
 PoE, 3 Year Warranty
 DC 12V, 500mA Fixed, 1A Vari-Focal



IPC-EDFR5MP-TD-S IPC-EDFR5MP-TD-S-B

Wide Angle 2.8MM
 Smart IR Built-in MIC
 100 Ft. Night Vision




IPC-EBFR5MP-EX

Wide Angle 2.8MM
 120 Ft. Night Vision



IPC-EBFR5MP-S

Wide Angle 2.8MM
 Smart IR Built-in MIC
 100 Ft. Night Vision



DSS-MIC-IP31-C

WORKS WITH ANY IPC
 WITH Audio Cable (-C)



IPC-EBVR5MPZ-C

Motorized 2.8-12MM
 Smart IR, Audio Cable
 120 Ft. Night Vision



IPC-QDVR5MPZ-A(II)-C

Motorized 2.8-12MM AI(II)
 Smart IR, Audio Cable
 120 Ft. Night Vision

Blue Jay Specialty IP Camera



IPC-PIN-5MP

Pin Hole IP Camera

Features

1/2.8" Progressive CMOS
 5MP 2592(H)×1944(V)
 Metal, Indoor Only
 True Color Starlighting
 120 dB WDR, 3D DNR, BLC, ICR
 Supports Onvif, PSIA, CGI
 PoE, 3 Year Warranty
 DC 12V, 500mA



IPC-ECB2MP-M

WiFi PIR Two Way Audio

Features

1/2.8" Progressive CMOS
 2MP 1920(H)×1080(V)
 Plastic, Indoor Only
 Two Way Audio, PIR, WiFi, SD up to 256gb
 WDR, 3D DNR, BLC, ICR
 Supports Onvif, PSIA, CGI
 PoE, 3 Year Warranty
 DC 12V, 500mA



IPC-LBVL5MPZ-AI(II)-C

5-50mm License Plate Capture

Features

1/2.7" Progressive CMOS
 5MP 2592(H)×1944(V)
 Metal, IP67 Weather Proof
 AI License Plate Detection, SD Slot
 WDR, 3D DNR, BLC, ICR
 Supports Onvif, PSIA, CGI
 PoE, 3 Year Warranty
 DC 12V, 1A

BLUE JAY PERFORMANCE IPC



AI+ Includes Facial Detection, Human & Vehicle Detection, Intrusion Detection, Line Crossing Detection, Stationary Object Detection, Pedestrian Detection, Crossing Head Count

PERFORMANCE TRUE COLOR STARLIGHTING 5MP AI II IPC H265+ WDR

Features

1/2.8 Progressive CMOS
5MP (2592x1944)
Metal, Vandal/Weather Proof, IP67
True Color at Night Starlighting
True WDR, 3D DNR, BLC, ICR 3 Axis
Supports Onvif, PSIA, CGI
PoE, 3 Year Warranty
DC 12V, 500mA Fixed, 1A Vari-Focal



IPC-EDF5MPIR-AI(II)-S

5MP 2.8MM Lens
Smart IR, Vandal Proof
100 Ft. Night Vision
Built-in MIC



IPC-QDFR5MP-AI(II)-C

Vandal Proof Dome
AI II, SD Card
Audio Cable



IPC-QDFR5MP-TD-AI(II)-S(White) IPC-QDFR5MP-TD-AI(II)-SB(Black)

5MP 2.8MM Lens, 100 Night Vision, Mic



DFRJB-VDW
Junction Box for
EDFR5MP-AI-II



DFRWM-VDW
Wall Mount for
EDFR5MP-AI-II



DFR-FCM-VD
Flush Mount for
EDFR5MP-AI-II

PERFORMANCE TRUE COLOR Starlighting AI II 4K POE IPC

Features

1/2.5 Progressive CMOS
8MP (3840x2160)
Metal, Vandal/Weather Proof, IP67
True Color at Night Starlighting
DWDR, 3D DNR, BLC, ICR 3 Axis
Supports Onvif, PSIA, CGI
PoE, 3 Year Warranty
DC 12V, 500mA Fixed, 1A Vari-Focal



IPC-QBFR8MP-AI(II)-S

Wide Angle 2.8MM
Smart IR, AI-II, Built-in Mic
100 Ft. Night Vision SD up to 256GB



IPC-EBFR8MPWL-AI(II)-M

Two Way Audio Mic
SD Slot up to 256GB
White Light, Deterrence



IPC-QDFR8MP-TD-AI(II)-S(White) IPC-QDFR8MP-TD-AI(II)-SB(Black)

Wide Angle 2.8MM
Smart IR, AI-II, Built-in Mic
100 Ft. Night Vision SD up to 256GB



IPC-QDFR8MP-AI(II)-C

Wide Angle 2.8MM
Vandal Proof, SD Card
100 Ft. Night Vision, Audio Cable



IPC-QDVR8MPZ-AI(II)-C

Motorized Lens 2.8-12MM
Smart IR, AI-II, SD up to 256GB
120 Ft. Night Vision



IPC-QBVR8MPZ-AI(II)-C

Motorized Lens 2.8-12MM
Smart IR, AI-II, SD up to 256GB
120 Ft. Night Vision



IPC-WDFR8MP-AI(II)-S

Wide Angle 2.8MM
True WDR, Smart IR, AI-II, Built-in Mic
100 Ft. Night Vision SD up to 256GB



IPC-EDFR8MPWL-AI(II)-M-N

Two Way Audio Mic
SD Slot up to 256GB
Warm Light, Deterrence

NEW 12MP PERFORMANCE TRUE COLOR Starlighting AI II POE IPC

Features

1/2.3 Progressive CMOS 3.6MM Lens
12MP (4096x3072)
Metal, Weather Proof, IP66
True Color at Night Starlighting
DWDR, 3D DNR, BLC, ICR 3 Axis
Supports Onvif, PSIA, CGI
PoE, 3 Year Warranty
DC 12V, 500mA



IPC-QDFR12MP-TD-AI-S

3.6MM Lens
Smart IR, AI-II, Built-in Mic
100 Ft. Night Vision SD up to 256GB



IPC-QBFR12MP-AI-S

3.6MM Lens
Smart IR, AI-II, Built-in Mic
100 Ft. Night Vision SD up to 256GB



IPC-FIS-12MP-M

12MP Fish Eye IPC



Hassle Free P2P
NO MORE PORT FORWARDING,
NO MORE DDNS AND STATIC IP NEEDED



IP PACKAGE

2MP IP Package

4 IP 2MP Camera Package



IP-DFR2MP4PK1TW **IP-BFR2MP4PK1TW**
Dome Camera Package Bullet Camera Package

8 IP 2MP Camera Package



IP-DFR2MP8PK1TW **IP-BFR2MP8PK1TW**
Dome Camera Package Bullet Camera Package

16 IP 2MP Camera Package



IP-DFR2MP16PK2TW **IP-BFR2MP16PK2TW**
Dome Camera Package Bullet Camera Package

5MP IP Package

4 IP Camera Package



IP-DFR5MP4PK1TW **IP-BFR5MP4PK1TW**
Dome Camera Package Bullet Camera Package

8 IP Camera Package







IP-DFR5MP8PK1TW **IP-BFR5MP8PK1TW**
Dome Camera Package Bullet Camera Package

16 IP Camera Package



IP-DFR5MP16PK1TW **IP-BFR5MP16PK1TW**
Dome Camera Package Bullet Camera Package

COMPATIBLE CAMERAS IPC-ExFRxMP-S IPC-EBFR5MPEX IPC-xDFRxMP-TD-S IPC-EBFRxMPWL-AI(II)-M IPC-ExFRxMP-AI-S-WL IPC-QBFR12MP-AI-S IPC-QDFR12MP-TD-AI-S BFRt-xMPW28 DFRT-xMPW28-S BVRT-xxW-xx IPC-xBVR8MPZ-AI(II)-C IPC-EBVR5MPZ-C IPC-EBVR8MPZ-WL-AI(II)-C DFRT-xxPW-WL28-S IPC-QBFR8MP-AI(II)-M-180

DFRJ BW-UW	DFRWM-UW	DFRCM-UW	IPCTVIPTZ-CMB-U	IPCTVIPTZ-PMB-U
				
JUNCTION BOX	WALL MOUNT BRACKET	CEILING MOUNT BRACKET	UNIVERSAL BRACKET THAT WORKS WITH CAMERAS LISTED	
DVRJ BW-UW	DVRWM-UW	DVRCM-UW	IPCTVIPTZ-CMB-U	IPCTVIPTZ-PMB-U

COMPATIBLE CAMERAS IPC-EDVR5MP-C IPC-EDVR5MPZ-C IPC-xDVR8MPZ-AI(II)-C IPC-xBVL5MPZ-AI(II)-C IPC-EDVR8MPZ-WL-AI(II)-C DVRT-xxPW DFLT-5MPW28 DFLT-4KW28 IPC-QDFR8MP-AI(II)-M-180 IPC-QDFR8MP-AI(II)-M-DL

WIRELESS BATTERY SYSTEM



- 600ft Wireless Range
- Thermo-Sense AMD
- Lithium Ion Battery
- IP66 Weatherproof
- Infrared Night Vision
- Metal Exterior
- Two-Way Audio
- Easy Installation



4K 2 Wireless Battery Bullet IP Camera Package

Features

- 1x 8CH 4K Wireless NVR with 1TB
- 2x 4K Wireless Battery IP Camera
- Up to 600 Ft Wireless Range
- Thermo-Sense Motion Sensor
- Rechargeable Battery
- Two Way Audio, IP66 Weather Proof
- 70 Ft Infrared Night Vision



IP-BFR4K2PK-W



4K 4 Wireless Battery Bullet IP Camera Package

Features

- 1x 8CH 4K Wireless NVR with 1TB
- 4x 4K Wireless Battery IP Camera
- Up to 600 Ft Wireless Range
- Thermo-Sense Motion Sensor
- Rechargeable Battery
- Two Way Audio, IP66 Weather Proof
- 70 Ft Infrared Night Vision



IP-BFR4K4PK-W

4K Wireless Battery Bullet IP Camera

Features

- 8MP 4K Resolution
- Up to 600 Ft Wireless Range
- Thermo-Sense Motion Sensor
- Rechargeable Battery
- Two Way Audio, IP66 Weather Proof
- 70 Ft Infrared Night Vision
- Only Works with Wireless Battery System



IPC-BFR4K-W

4K 2 Wireless Battery Bullet IP Camera Pack

Features

- 8MP 4K Resolution
- Up to 600 Ft Wireless Range
- Thermo-Sense Motion Sensor
- Rechargeable Battery
- Two Way Audio, IP66 Weather Proof
- 70 Ft Infrared Night Vision
- Only Works with Wireless Battery System



IPC-BFR4K2-W



IP-BFR4K-CC
BATTERY CHARGER



IP-BFR4K-BP
Battery Pack for
Wireless Camera



IP-BFR4K-SP
Solar Panel for Wireless
Camera



IP-BFR4K-AE
Antenna Extension Cable
for Wireless Camera



IP VIDEO INTERCOM

8" FACIAL RECOGNITION
ANDROID DOOR PHONE

S617




DSS-C112-PK-W

1 Door Wireless WIFI Video Intercom Kit

Features

- Support IC Card, Wireless WIFI
- 7" Inch Interactive Touch Screens
- Support Live View up to 8 IPC
- 2MP, IP 65
- Support SIP 2.0, Easy Configuration
- Integration with other SIP Devices
- Interactive with Indoor Station or APP
- PoE, 3 Year Warranty
- DC 12V, 2A



Features S617

- Support Up to 20,000 Users
- 5" Color Interactive Touch Screens
- 120° Wide-Angle 2MP Camera
- Call, Face, IC Card, ID Card, PIN, APP
- Tamper Alarm, 3 Output Relays
- PoE, 3 Year Warranty
- DC 12V, 2A

C112-R

1 Button Door Station



C112-W

1 Button WIFI Station



S213M-2/S

2 Buttons Door Station



S213M-5/S

5 Buttons Door Station



Features

- Support IC Card
- Multi-button SIP Video Door Phone
- Silver Aluminum Panel Surface Mount
- 2MP, IP 65, Silver Aluminum Panel
- 2 Output Relay for Door Opener
- Integration with other SIP Devices
- Indoor Station REQUIRED
- PoE, 3 Year Warranty
- DC 12V, 2A




DS06
Desk Stand for Monitor



RH01
Rain Cover Surface Mount

Features E217-W

- SIP Indoor Station
- 7" Inch Interactive Touch Screens
- Support Live View up to 8 IPC
- Two Way Audio
- Door Station REQUIRED
- PoE, 3 Year Warranty
- DC 12V, 2A



BLUE JAY DVR

NDA
Compliant



5MP LITE HYBRID TVI DVR SUPPORTS TVI, AHD, CVI, ANALOG, IP



Features

- H.265/H.264+/H.264 Encoding for Main
- True Hybrid Supports HD-TVI, IP, AHD, CVI, Analog
- 5MP Lite(2.5MP)/1080P Recording, 1080P Lite Real Time
- HDMI up to 4K(16ch) and VGA Output up to 1080P
- Long Distance Transmission Over Coax Cable
- Smart VCA, Motion Detection Recording Playback
- 2 USB, 1 Mouse Control/1 Backup
- Two Way Audio, 1 STAT Up to 10TB MAX
- P2P, Supports Third Party Cloud Storage
- Alarm In & Out, Two Way Audio, 4ch Audio
- Space Saver Mini Case, 3 Year Warranty

LHDVR0404-5MPM

4CH Synchronized Playback
Up to 4K & 6CH IPC
HDMI up to 4K& VGA up to 1080P
4ch Audio

LHDVR0804-5MPM

8CH Synchronized Playback
Up to 4K & 12CH IPC
HDMI up to 4K& VGA up to 1080P
4ch Audio

QHDVR1604-5MPM

16CH Synchronized Playback
Up to 4K & 24CH IPC
HDMI up to 4K& VGA up to 1080P
4ch Audio

4K HYBRID TVI DVR SUPPORTS TVI, AHD, CVI, ANALOG, IP



Features

- H.265/H.264+/H.264 Encoding for Main
- 8MP/5MP/4MP/3MP/2MP/720p HD-TVI, Analog AHD, IP Support
- True Hybrid Supports HD-TVI, IP, AHD, CVI, Analog
- Up to 4K 8MP Recording Resolution
- HDMI up to 4K(16ch) and VGA Output up to 1080P
- Long Distance Transmission Over Coax Cable
- Smart VCA, Motion Detection Recording Playback
- 2 USB, 1 Mouse Control/1 Backup
- Two Way Audio, Alarm In & Out
- 4/8/16ch Audio for 4/8/16ch DVR
- P2P, Supports Third Party Cloud Storage
- 1U Case Rack Mountable, 3 Year Warranty

LHDVR0404-4K-AI

4CH HD 4K TVI TRIBRID DVR
1 SATA UP TO 10 TB
Up to 4K & 6CH IPC
HDMI up to 4K& VGA up to 1080P
4ch Audio

LHDVR0808-4K-AI

8CH HD 4K TVI TRIBRID DVR
2 SATA UP TO 20 TB
Up to 4K & 12CH IPC
HDMI up to 4K& VGA up to 1080P
8ch Audio

LHDVR1616-4K-AI

16CH HD 4K TVI TRIBRID DVR
2 SATA UP TO 20 TB
Up to 4K & 8CH IPC
HDMI up to 4K& VGA up to 1080P
16ch Audio

32CH TVI DVR SUPPORTS TVI, AHD, CVI, ANALOG



Features

- H.264+/H.264 Encoding for Main
- Hybrid Supports HD-TVI, AHD, CVI, Analog
- 5MP Lite(2.5MP)/1080P Recording, 1080P Lite Real Time
- Dual HDMI up to 4K(16ch) and VGA Output up to 1080P
- Long Distance Transmission Over Coax Cable
- Smart VCA, Motion Detection Recording Playback
- 2 USB, 1 Mouse Control/1 Backup
- Two Way Audio, 4 SATA Up to 40TB MAX
- P2P, Supports Third Party Cloud Storage
- Alarm In & Out, Two Way Audio, 8ch Audio
- 1.5U Case Rack Mountable, 3 Year Warranty

QHDVR3208-5MPM-AI

32CH HD 5MP TVI TRIBRID DVR
4 SATA UP TO 40 TB
Up to 5MP & 4CH IP Ch
HDMI up to 4K& VGA up to 1080P
8ch Audio



TVI CAMERA

2MP HD-TVI CAMERA



DFRT-1080PB28-S
(Black)



DFRT-1080PW28-S
(White)



BFRT-1080PB28
(Grey)



BFRT1080PW28
(White)



DVRT-1080PW
(White)



DVRT-1080PB
(Black)



Features

4 IN 1

- 1/2.7 Progressive CMOS
- 2 MP Resolution, 1920x1080
- 4in1, Comp with 2MP TVI, Analog, AHD, CVI
- UTC OSD, 3D DNR, Smart IR, Built in Mic
- 2.8mm Wide Fixed Lens, Audio MIC
- 18 Built in IR LED (75 Ft Night Vision)
- Metal/IP 66 Weather Proof
- True Day/Night
- 3 Year Warranty
- DC 12V, 500mA

Features

4 IN 1

- 1/2.7 Progressive CMOS
- 2 MP Resolution, 1920x1080
- 4in1, Comp with 2MP TVI, Analog, AHD, CVI
- UTC OSD, 3D DNR, Smart IR, DWDR over Coax
- 2.8mm Wide Fixed Lens
- 1pc EXIR (120 Ft Night Vision)
- Metal/IP 66 Weather Proof
- True Day/Night
- 3 Year Warranty
- DC 12V, 500mA

Features

4 IN 1

- 1/2.7 Progressive CMOS
- 2 MP Resolution, 1920x1080
- 4in1, Comp with 2MP TVI, Analog, AHD, CVI
- UTC OSD, 3D DNR, Smart IR, DWDR over Coax
- 2.8-12mm Vari-Focal Lens
- 40 Built in IR LED (75 Ft Night Vision)
- Metal/IP 66 Weather Proof
- True Day/Night
- 3 Year Warranty
- DC 12V, 500mA

SPY COVERT CAMERA



SP101-1080P
Fake Smoke
Detector Camera



SP103-5MP
5MP Pinhole Camera

Features

- 1/2.8 SONY EXMOR CMOS
- Dual Video Output, 1080P TVI/Analog
- OSD, 3D DNR, Smart IR, DWDR over Coax
- 3.7mm Fixed Lens
- Indoor Night Vision up to 50ft
- 2 Year Warranty
- DC 12V, 500mA



SP102-5MP


5MP Fake Motion
Detector Camera with
Night Vision

Full Color TVI Camera

Regular IR



Full Color Light



DFRT-1080PW-WL28-S
2MP 2.8mm True Color TVI



Features

- 1/2.9" Progressive CMOS
- 2MP 1920(H)×1080(V)
- Metal, IP66 Weather Proof
- Warm Light FULL Color, IR Light
- DWDR, 3D DNR, BLC, ICR, MIC Audio
- UTC OSD, Supports TVI CVI AHD Analog
- 3 Year Warranty
- DC 12V, 500mA

DFRT-5MPW-WL28-S
5MP 2.8mm True Color TVI



Features

- 1/2.7" Progressive CMOS
- 5MP 2592(H)×1944(V)
- Metal, IP66 Weather Proof
- Warm Light FULL Color, IR Light
- 3D DNR, BLC, ICR, MIC Audio
- UTC OSD, Supports TVI CVI AHD Analog
- 3 Year Warranty
- DC 12V, 500mA

Features

- 1/2.7" Progressive CMOS
- 8MP 3872(H)×2180(V)
- Metal, IP66 Weather Proof
- 3D DNR, BLC, ICR, MIC Audio
- Warm Light FULL Color, IR light
- UTC OSD, Supports TVI CVI AHD Analog
- 3 Year Warranty
- DC 12V, 500mA



DFRT-4KW-WL28-S
4K 2.8mm True Color TVI

TVI CAMERA

5MP HD-TVI CAMERA



BFRT-5MPW28-S
(White)

BFRT-5MPB28
(Grey)



DFRT-5MPB28-S
(Black)

DFRT-5MPW28-S
(White)



DVRT-5MPB
(Black)

DVRT-5MPW
(White)



Features

- 1/2.8 Progressive CMOS
- 5 MP Resolution, 2592x1944
- Compatible with 5MP TVI and 4MP TVI
- UTC OSD, 3D DNR, Smart IR, Built in Mic
- 2.8mm Wide Fixed Lens
- 1pc EXIR (120 Ft Night Vision)
- Metal/IP 66 Weather Proof
- True Day/Night
- 3 Year Warranty
- DC 12V, 500mA

Features

- 1/2.8 Progressive CMOS
- 5 MP Resolution, 2592x1944
- Compatible with 5MP TVI and 4MP TVI
- UTC OSD, 3D DNR, Smart IR, Built in Mic
- 2.8mm Wide Fixed Lens
- 18 Built in IR LED (75 Ft Night Vision)
- Metal/IP 66 Weather Proof
- True Day/Night
- 3 Year Warranty
- DC 12V, 500mA

Features

- 1/2.8 Progressive CMOS
- 5 MP Resolution, 2592x1944
- Compatible with 5MP TVI and 4MP TVI
- UTC OSD, 3D DNR, Smart IR, DWDR over Coax
- 2.8-12mm Vari-Focal Lens
- 40 Built in IR LED (110 Ft Night Vision)
- Metal/IP 66 Weather Proof
- True Day/Night
- 3 Year Warranty
- DC 12V, 1A



DFLT-5MPW28
(White)



BVRT-5MPW
(White)



BVL-5MPW-Z
(White)

Features

- 1/2.7 Progressive CMOS
- 5 MP Resolution, 2592x1944
- Compatible with 5MP TVI, 4MP TVI Analog
- UTC OSD, 3D DNR, Smart IR, DWDR over Coax
- 2.8mm Wide Fixed Lens
- 1 EXIR LEDs, (170 Ft Night Vision)
- Metal/IP 66 Weather Proof
- True Day/Night
- 3 Year Warranty
- DC 12V, 1A

Features

- 1/2.7 Progressive CMOS
- 5 MP Resolution, 2592x1944
- Compatible with 5MP TVI, 4MP TVI Analog
- UTC OSD, 3D DNR, Smart IR, DWDR over Coax
- 2.8-12mm Vari-Focal Lens
- 120 Ft. Night Vision
- Metal/IP 66 Weather Proof
- True Day/Night
- 3 Year Warranty
- DC 12V, 1A

Features

- 1/2.7 Progressive CMOS
- 5MP Resolution, 2592x1944
- Compatible with 5MP TVI AHD Analog
- UTC OSD, 3D DNR, Smart IR, DWDR over Coax
- 5-50mm Motorized Vari-Focal Lens
- 160 Ft. Night Vision
- Metal/IP 66 Weather Proof
- Starlight True Day/Night
- 3 Year Warranty
- DC 12V, 2A



BVRT-5MPW-Z
(White)



DSS-TESTER-TVIIP

Features

- 1/2.7 Progressive CMOS
- 5 MP Resolution, 2592x1944
- Compatible with 5MP TVI, 4MP TVI Analog
- UTC OSD, 3D DNR, Smart IR, DWDR over Coax
- 2.8-12mm Motorized Vari-Focal Lens
- 120 Ft. Night Vision
- Metal/IP 66 Weather Proof
- True Day/Night
- 3 Year Warranty
- DC 12V, 1A

Features

- TVI IP Tester with 4 inch Screen
- Compatible with TVI IP 2MP 5MP 4K
- PTZ Control, Wifi, PoE, UTP
- Built in Battery
- Audio in, Touch Screen
- Competible with IPC via Onvif
- Cable Connection Testing
- Rechargeable Battery
- 2 Year Warranty
- Micro USB Charger



24VAC To 12VDC Converter
DSS-PA-24VTO12V



DSS-STICKER
Surveillance Warning Sticker



DSS-SIGNS
Surveillance Warning Sign Small



DSS-SIGNL
Surveillance Warning Sign Large

NDA
Compliant



TVI CAMERA



5MP


VS

4K

4K 8MP HD-TVI CAMERA

BFRT-4KW28
(White)

BFRT-4KB28
(Grey)



DFRT-4KB28-S
(Black)

DFRT-4KW28-S
(White)



DVRT-4KB
(Black)

DVRT-4KW
(White)



Features

1/2.8 Progressive CMOS
8 MP Resolution, 3840x2160
Compatible with 4K, TVI, CVI, and AHD
UTC OSD, 3D DNR, Smart IR, DWDR over Coax
2.8mm Wide Fixed Lens
1pc EXIR (120 Ft Night Vision)
Metal/IP 66 Weather Proof
True Day/Night
3 Year Warranty
DC 12V, 500mA

Features

1/2.8 Progressive CMOS
8 MP Resolution, 3840x2160
Compatible with 4K, TVI, CVI, and AHD
UTC OSD, 3D DNR, Smart IR over Coax
2.8mm Wide Fixed Lens, MIC Audio over Cax
18 Built in IR LED (75 Ft Night Vision)
Metal/IP 66 Weather Proof
True Day/Night
3 Year Warranty
DC 12V, 500mA

Features

1/2.8 Progressive CMOS
8 MP Resolution, 3840x2160
Compatible with 4K, TVI, CVI, and AHD
UTC OSD, 3D DNR, Smart IR over Coax
2.8-12mm Vari-Focal Lens
40 Built in IR LED (110 Ft Night Vision)
Metal/IP 66 Weather Proof
True Day/Night
3 Year Warranty
DC 12V, 1A



DFLT-4KW28
(White)



BVRT-4KW
(White)

Features

1/2.8 Progressive CMOS
8 MP Resolution, 3840x2160
Compatible with 4K, TVI, CVI, and AHD
UTC OSD, 3D DNR, Smart IR, DWDR over Coax
2.8mm Wide Angle Fixed Lens
1 EXIR LEDs, (130 Ft Night Vision)
Metal/IP 66 Weather Proof
True Day/Night
3 Year Warranty
DC 12V, 500mA

Features

1/2.8 Progressive CMOS
8 MP Resolution, 3840x2160
Compatible with 4K, TVI, CVI, and AHD
UTC OSD, 3D DNR, Smart IR, over Coax
2.8-12mm Vari-Focal Lens
40 Built in IR LED (110 Ft Night Vision)
Metal/IP 66 Weather Proof
True Day/Night
3 Year Warranty
DC 12V, 1A

PTZ CAMERA

NDA
Compliant

4X PTZ Camera



IPC-PTZ-E4XIR4MP-M

4MP IP 4X Mini PTZ Full Color

Features

2.5" Mini Night Vision IR PTZ Camera
 4x Zoom, 2.8-12MM
 1 Array IR LED Night Vision Up to 70 Ft
 Pan Range 350°, Speed 0-25° /S
 Tilt Range 0° -90°, Speed 0-20° /S
 Working Temp -4 to 149 F
 True WDR, SD Card Slot, Two Way Audio
 Weather Proof Indoor and Outdoor use IP66

E4X4MP-WMW
Wall Mount BracketE4X4MP-JBW
Junction Box

25x Auto Tracking PTZ

IPC-PTZ-E25XIR2MP-C

2MP IP 25X Zoom PoE
AUTO TRACKING

Features

5" Mini 25x AUTO TRACKING PTZ
 25X Zoom, 5-50mm 56.9° to 2.9°
 IR Distance: up to 300 ft
 2 MP Resolution, 1920x1080
 Pan Tilt Range 360° Speed 0-80° /S
 Performance AI+, Human & Vehicle Detection, Face,
 4 patrols, up to 32 presets per patrol
 3D DNR, Backlight Compensation, 120 dBWDR, Auto Focus
 SD Card Up to 256GB, Alarm in&out, Audio Cable, Reset
 Onvif IP66 Weather Proof PoE H.265
 Working Temp -22 to 149 F

4x 4K IP PTZ Two Way Audio Deterrence Full Color



IPC-PTZ-E4XIR8MP-MD

4K 4x Two Way Audio Deterrence Auto
Tracking PTZ

Features

4" Mini 4x Two Way Audio Deterrence PTZ
 4X Zoom, 2.8-12mm 113° to 31.4°
 IR Distance: up to 100 ft
 8 MP Resolution, 3840x2160
 Pan Tilt Range 360° Speed 0-45° /S
 Performance AI+, Human & Vehicle Detection, Face,
 Auto Tracking Human & Vehicle
 3D DNR, Backlight Compensation, DWDR, Auto Focus
 Built in MIC&Speaker, Red Blue Flashing Light, SD 256GB
 Onvif IP66 Weather Proof PoE H.265
 Working Temp -22 to 149 F

25x 4K 8MP Auto Tracking PTZ

IPC-PTZ-E25XIR8MP-C

8MP IP 25X Zoom PoE
AUTO TRACKING

Features

5" Mini 25x AUTO TRACKING PTZ
 25X Zoom, 5-50mm 56.9° to 2.9°
 IR Distance: up to 300 ft
 8MP 3840(H)x2160(V)
 Pan Tilt Range 360° Speed 0-80° /S
 Performance AI+, Human & Vehicle Detection, Face,
 4 patrols, up to 32 presets per patrol
 3D DNR, Backlight Compensation, 120 dBWDR, Auto Focus
 SD Card Up to 256GB, Alarm in&out, Audio Cable, Reset
 Onvif IP66 Weather Proof PoE H.265
 Working Temp -22 to 149 F

33x NIGHT VISION PTZ CAMERA

Features

Pan Range 360° Speed 0-25° /S
 Tilt Range 0° -90° Speed 0-20° /S
 Pattern/Pan Scan/Tilt scan/Random scan/Frame scan
 3D DNR, Backlight Compensation, WDR, Auto Focus
 Built in Surge and Lightning Protection
 Weather Proof Indoor and Outdoor use IP66
 Supports 220 Presets
 Supports 8 Patrols, Each Patrol Up to 32 Presets



Mode # TVI-PTZ-36XIR2MPW

36X TVI PTZ 2MP, 24V
Night Vision Up to 300Ft

HDTV

Model # IPC-PTZ-L33XIR5MP-C

33X IP PTZ 5MP, AUTO TRACKING
Night Vision Up to 450Ft

HDIP



TVI PACKAGE

Cable Not Included



2MP 4 Bullet PK

BFRT-4PK1TW2MP
(White Color)
BFRT-4PK1TB2MP
(Gray Color)

1x 4CH 5MP Blue Jay TVI DVR with 1TB
4x Bullet 2.8MM Fixed Lens Camera
75Ft Night Vision, Weather Proof
1x Power Supply with 1 to 4 Splitter

5MP 4 Bullet PK

BFRT-4PK1TW5MP
(White Color)
BFRT-4PK1TB5MP
(Gray Color)

1x 4CH 5MP Blue Jay TVI DVR with 1TB
4x Bullet 2.8MM Fixed Lens Camera
75Ft Night Vision, Weather Proof
1x Power Supply with 1 to 4 Splitter



Cable Not Included



2MP 4 Dome PK

DFRT-4PK1TW2MP
(White Color)
DFRT-4PK1TB2MP
(Black Color)

1x 4CH 5MP Blue Jay TVI DVR with 1TB
4x Dome 2.8MM Fixed Lens Camera
75Ft Night Vision, Weather Proof
1x Power Supply with 1 to 4 Splitter

5MP 4 Dome PK

DFRT-4PK1TW5MP
(White Color)
DFRT-4PK1TB5MP
(Black Color)

1x 4CH 5MP Blue Jay TVI DVR with 1TB
4x Dome 2.8MM Fixed Lens Camera
75Ft Night Vision, Weather Proof
1x Power Supply with 1 to 4 Splitter

Cable Not Included



2MP 8 Bullet PK

BFRT-8PK2TW2MP
(White Color)
BFRT-8PK2TB2MP
(Gray Color)

1x 8CH 5MP Blue Jay TVI DVR with 2TB
8x Bullet 2.8MM Fixed Lens Camera
75Ft Night Vision, Weather Proof
1x Power Supply with 1 to 8 Splitter

5MP 8 Bullet PK

BFRT-8PK2TW5MP
(White Color)
BFRT-8PK2TB5MP
(Gray Color)

1x 8CH 5MP Blue Jay TVI DVR with 2TB
8x Bullet 2.8MM Fixed Lens Camera
75Ft Night Vision, Weather Proof
1x Power Supply with 1 to 8 Splitter

Cable Not Included



2MP 8 Dome PK

DFRT-8PK2TW2MP
(White Color)
DFRT-8PK2TB2MP
(Black Color)

1x 8CH 5MP Blue Jay TVI DVR with 2TB
8x Dome 2.8MM Fixed Lens Camera
75Ft Night Vision, Weather Proof
1x Power Supply with 1 to 8 Splitter

5MP 8 Dome PK

DFRT-8PK2TW5MP
(White Color)
DFRT-8PK2TB5MP
(Black Color)

1x 8CH 5MP Blue Jay TVI DVR with 2TB
8x Dome 2.8MM Fixed Lens Camera
75Ft Night Vision, Weather Proof
1x Power Supply with 1 to 8 Splitter

Cable Not Included



2MP 16 Bullet PK

BFRT-16PK4TW2MP
(White Color)
BFRT-16PK4TB2MP
(Gray Color)

1x 16 CH 5MP Blue Jay TVI DVR with 4TB
16x Bullet 2.8MM Fixed Lens Camera
75Ft Night Vision, Weather Proof
2 x Power Supply with 2, 1 to 8 Splitter

5MP 16 Bullet PK

BFRT-16PK4TW5MP
(White Color)
BFRT-16PK4TB5MP
(Gray Color)

1x 16 CH 5MP Blue Jay TVI DVR with 4TB
16x Bullet 2.8MM Fixed Lens Camera
75Ft Night Vision, Weather Proof
2 x Power Supply with 2, 1 to 8 Splitter

Cable Not Included



2MP 16 Dome PK

DFRT-16PK4TW2MP
(White Color)
DFRT-16PK4TB2MP
(Black Color)

1x 16 CH 5MP Blue Jay TVI DVR with 4TB
16x Dome 2.8MM Fixed Lens Camera
75Ft Night Vision, Weather Proof
2 x Power Supply with 2, 1 to 8 Splitter

5MP 16 Dome PK

DFRT-16PK4TW5MP
(White Color)
DFRT-16PK4TB5MP
(Black Color)

1x 16 CH 5MP Blue Jay TVI DVR with 4TB
16x Dome 2.8MM Fixed Lens Camera
75Ft Night Vision, Weather Proof
2 x Power Supply with 2, 1 to 8 Splitter

WIRELESS PANEL




Cost-Effective, High-Performance
Compact and Versatile Design
Powerful Integrated Antenna



Point to Point Wireless
Connection to Help Tie Distant
Cameras to the Network for
Viewing



Each Can be Used as
Transmitter or Receiver



Wireless Bridge Access Point
With Easy Pair Function Work
with W58LEZ-NGB



DSS-W58LEZ-N(48V)



W58-PM
Pole Mount Bracket

G1B Wireless Bridge Access Point
With Easy Pair Function Work
with W58LEZ-N




DSS-W58LEZ-NGB(48V)

Distance	3 Miles Point to Point
Throughput	300+ Mbps
Frequency	5.8 Ghz
Processor	Qualcomm Atheros AR9342
Gain	14 dBi
Network	10/100 Ethernet Port
Security	WEP, WPA, WPA2, 802.1x
Power	48V/24V PoE, DC 12V 1A
Weight	10.60 Oz
Operating Temperature	(-22 to 167 F)
Transmission Angle	60 Degree
Power Consumption	5.5W

Distance	5 Miles Point to Point
Throughput	1000+ Mbps
Frequency	5.8 Ghz
Processor	Qualcomm Atheros AR9342
Gain	16 dBi
Network	10/100/1000 Ethernet Port
Security	WEP, WPA, WPA2, 802.1x
Power	48V/24V PoE, DC 12V 1A
Weight	10.60 Oz
Operating Temperature	(-22 to 167 F)
Transmission Angle	60 Degree
Power Consumption	5.5W

ACCESSORIES

SURVEILLANCE GRADE HDD

DSS-1TB		Surveillance Grade HDD 1TB	
DSS-2TB		Surveillance Grade HDD 2TB	
DSS-3TB		Surveillance Grade HDD 3TB	
DSS-4TB		Surveillance Grade HDD 4TB	
DSS-6TB		Surveillance Grade HDD 6TB	
DSS-8TB		Surveillance Grade HDD 8TB	
DSS-10TB		Surveillance Grade HDD 10TB	

CCTV POWER SUPPLY

DSS-PX-4P5A		12VDC/5Amps 4 Ports PTC Output CCTV Distributed Power Supply Box	
		12VDC/10Amps 9 Ports PTC Protected Output CCTV Distributed Power Box, UL Listed	
DSS-PX-9P10APTC			
		12VDC/20Amps 9 Ports PTC Protected Output CCTV Distributed Power Box, UL Listed	
DSS-PX-9P20APTC			
		12VDC/20Amps 18 Ports PTC Protected Output CCTV Distributed Power Box, UL Listed	
DSS-PX-18P20APTC			
		12VDC/30Amps 18 Ports PTC Protected Output CCTV Distributed Power Box, UL Listed	
DSS-PX-18P30APTC			
		12VDC/30Amps 30 Ports PTC Protected Output CCTV Distributed Power Box	
DSS-PX-32P30APTC			
DSS-PA-1000		12VDC-1000mA/1AMP- Power Adapter	
DSS-PA-2000		12VDC-2000mA/2AMP- Power Adapter	
DSS-PA-5000		12VDC-5000mA/5AMP- Power Adapter	
		24VAC To 12VDC Converter	
DSS-PA-24VTO12V			







AI PoE Switch/IP Camera Power Supply

DSS-POE-101-AI		1 Port 19W 10/100/1000 Mbps PoE Injector	
DSS-POE-101-AI(60W)		1 Port 60W High Power 100/1000 Mbps PoE Injector	
DSS-POE-104-AI-GB		4-Port 10/100 Mbps with GB Uplink Port Base-T GB PoE Switch	
DSS-POE-108-AI		8-Port 10/100 Mbps with GB Uplink Port Base-T GB PoE Switch	
DSS-POE-116-AI		16-Port 10/100 Mbps with GB Uplink Port & Fiber Connection Base-T PoE Switch	
DSS-POE-124-AI		24-Port 10/100 Mbps with GB Uplink Port & Fiber Connection Base-T PoE Switch	
DSS-NS-105GB		5-Port 10/100/1000Mbps Ethernet Unmanaged Switch	
DSS-NS-108GB		8-Port 10/100/1000Mbps Ethernet Unmanaged Switch	
DSS-POE-104-BJ		4 Ch Smart PoE Switch Real-Time Status Notification 2 Priority Ports Up to 60W	
DSS-POE-108-BJ		8 Ch Smart PoE Switch Real-Time Status Notification 4 Priority Ports Up to 60W	

Professional Wire & Cable

DSS-CA-500W		500 Ft. White Professional Grade Siamese RG59/U 95% Braid 18/2 Cable	
DSS-CA-500B		500 Ft. Black Professional Grade Siamese RG59/U 95% Braid 18/2 Cable	
DSS-NCA-1000W		1000 Ft. White CAT5E Professional Grade Network Cable	
DSS-NCA-1000B		1000 Ft. Black CAT5E Professional Grade Network Cable	
DSS-NCA6-1000W		1000 Ft. White CAT6 Professional Grade Network Cable	
DSS-NCA-1000WSC		1000 Ft. White CAT5E Solid Copper Professional Grade Network Cable	
DSS-NCA6-1000WSC		1000 Ft. White CAT6 Solid Copper Professional Grade Network Cable	
DSS-PMCCAT5E-50W		50 ft Premade CAT5E Cable	
DSS-PMCCAT5E-100W		100 ft Premade CAT5E Cable	
DSS-PMC-150W		150 Ft. HD-TVI Premade Video & Power Cable Combo White CCTV Cable	
DSS-HDMI-5		5 Ft. Premium HD HDMI Cable	
DSS-HDMI-25		25 Ft. Premium HD HDMI Cable	
DSS-HDMI-50		50 Ft. Premium HD HDMI Cable	



DVR/NVR LOCK BOX

DSS-LB-18185		DVR/NVR Lockbox 18"x18"x5"	
DSS-LB-21218		DVR/NVR Lockbox 21"x21"x8"	
DSS-LB-21248		DVR/NVR Lockbox 21"x24"x8"	
DSS-LB-HMA		Lock Box Horizontal Mount Bracket	
DSS-LB-HMB		Lock Box Horizontal Mount Bracket	
DSS-LB-VM		Lock Box Vertical Mount Bracket	





POE-112-AI		1 to 2 POE Powered POE Switch	
POE-112-AI-SET		1 to 2 POE Powered POE Switch With Box	
POE-114-AI		1 to 4 POE Powered POE Switch	
POE-114-AI-SET		1 to 4 POE Powered POE Switch With Box	
POE-2W		Ethernet & POE Receiver Over Single Pair Wires	
DSS-CONVERTER(BNCTOHDMI)		BNC to VGA Converter	






ACCESSORIES

CCTV Connectors			
DSS-C101		BNC Twist-On Male Connector	
DSS-C102		BNC Compression For RG59	
DSS-C103		BNC Male Crimp-On Connector	
DSS-C104		BNC Male to RCA Female	
DSS-C105		BNC Male to RCA Male	
DSS-C106		BNC Female to RCA Male	
DSS-C107		BNC Male to 2 BNC Female	
DSS-C108		BNC Coupler Female to Female	
DSS-C109		RJ45 CAT5E Connector Pass Through Type	
DSS-C110		RJ45 CAT5E Connector NON Pass Through Type	
DSS-C111		RJ45 CAT6 Connector Pass Through Type	
DSS-C112		CAT5E and CAT6 Coupler	
DSS-C113		RJ45 CAT6 Crimp Connector NON-Pass Through	
DSS-C201		Male Power Pigtail	
DSS-C202		Female Power Pigtail	
DSS-C203		DC Male Power Connector With Clip-On Design	
DSS-C204		DC Female Power Connector With Clip-On Design	
DSS-C205S		B Connector (Blue) Outdoor Use	
DSS-C214		1 To 4 DC Power Splitter Cable (1 Female to 4 Male Pigtails)	
DSS-C218		1 To 8 DC Power Splitter Cable (1 Female to 4 Male Pigtails)	
DSS-MIC		CCTV Surveillance Microphone with Power Cable	
DSS-CLP-01		Ground-Loop Isolator Work with 1080P 5MP 8MP TVI both COAX and CAT5E Cable	

VIDEO BALUNS			
DSS-VB-104		HD-TVI Passive Video Balun Video Only	
DSS-VB-105		HD-TVI Passive Video With Power	






TVI Camera Tester			
DSS-TESTER-TV-IP		HD-TVI Video Tester, Compatible with TVI, Analog, Battery Included.	

HD LCD Monitors Brackets			
DSS-LCD-103		17-27 LCD-LED Full Motion Swivel Wall Mount Bracket	
DSS-LCD-202		40-65 LCD-LED Fixed Wall Mount Bracket	
DSS-LCD-203		32-55 LCD-LED Full Motion Wall Mount Bracket	
DSS-LCD-204		32-70 LCD-LED Full Motion Wall Mount Bracket	

4K HDMI Splitter and Extender			
DSS-HDMI-102		1 to 2 HDMI Splitter, Support 3D, 2K, 4K	
DSS-HDMI-104		1 to 4 HDMI Splitter, Support 3D, 2K, 4K	
DSS-HDMI-108		1 to 8 HDMI Splitter, Support 3D, 2K, 4K	
DSS-HDMI-EXT200-4K		HDMI Extender up to 200 ft, Use CAT5E/CAT6, Support 3D, 4K	
DSS-HDMI-EXT400		HDMI Extender up to 400 ft, Use CAT5E/CAT6, Support 3D, 4K	

Network over Coax Conveter			
DSS-CTN101		IP Over Coaxial Max 75 Mbps Max Distance 2000 ft Upgrade to IP Camera without run new cable	

SECURITY WARNING SIGNS & STICKERS			
DSS-STICKER		SURVEILLANCE WARNING STICKER	
DSS-SIGNS		SURVEILLANCE WARNING SIGN SMALL	
DSS-SIGNL		SURVEILLANCE WARNING SIGN LARGE	

Cable Stripping Tools			
DSS-T901		Wire Stripper for RG58/RG59/ RG6/CAT3/CAT5E/CAT6	
DSS-T902		Professional BNC Compression Crimping Tool	
DSS-T903		Professional Coaxial Crimping Tool	
DSS-T904		NEW Cut Through RG45/ CAT5E/CAT6 Crimping Tool	
DSS-T905		Checks RJ45 and BNC network cables. Checks up to four pairs of conductors for continuity and correct polarity	