


4 PORTS POE SMART HIGH-POWER SWITCH

Model #: POE-104-BJ



Features:

- 4 Ports POE with 2 High Power POE Up to 65W
- Monitor PoE Switch vis VMS
- Gb Uplink
- EPOE up to 1200 feet

We reserve the right to modify product design and specification without notice and without incurring any obligation

For more information please contact a DSS Sales Representative
Toll Free: 1.888.467.8812 · Fax: 1.609.431.0932 · Email: sales@dss-cctv.com
www.dssdepot.com

Technical Specifications

Model No.	POE-104-BJ
Interfaces	RJ45 ,10/100,4x10/100M POE+1x10/100M
Network Management	Lite Manager (VMS connection ,POE power consumer statistics, parameter configuration, log checking, firmware update, network topology)
IEEE Standard	802.3\802.3x\802.3u\802.3az
Uplink Rate (Individual Port)	100M
Downlink Rate (Individual Port)	100M
Exchange Capacity	1Gbps
Packet Forwarding Rate	0.7Mpps
Internal Cache	1Mbits
POE Standard	IEEE 802.3at/af
POE Port	1~4
Extension Mode (EPOE)	1200 ft
Max. Power (Individual Port)	30W
Max. Power (All Ports)	65W
Case	Metal
Weight	0.22 Lbs
Dimension (WxDxH)	4.33 x 3.23 x1.18 inch
Operating Temperature/Humidity	Temperature : 0°C~+40°C Humidity : Less than 90%RH
Storage Temperature/Humidity	Temperature : -40°C~+85°C Humidity : Less than 90%RH
Power Supply	48V/ 1.2A
Lightning Protection	4KV

We reserve the right to modify product design and specification without notice and without incurring any obligation

For more information please contact a DSS Sales Representative

Toll Free: 1.888.467.8812 · Fax: 1.609.431.0932 · Email: sales@dss-cctv.com
www.dssdepot.com

We reserve the right to modify product design and specification without notice and without incurring any obligation

For more information please contact a DSS Sales Representative

Toll Free: 1.888.467.8812 · Fax: 1.609.431.0932 · Email: sales@dss-cctv.com

www.dssdepot.com